


DESIG	z 	DRAWN BY	DART AEROSPACE LTE HAWKESBURY, ONTARIO, CANADA	
CHECK	(ED	APPROVED	DRAWING NO.	REV. B
(YIT .	THE THE	D3303 _{SF}	HEET 1 OF 4
DATE			TITLE	SCALE
	06.0	08.17	HEAD REST	1:3
REV		DATE	DESCRIPTION	
Α	(04.08.18	NEW ISSUE	
В		06.08.17	UPDATED FLAT PATTERN TO FORM PA ONE OPERATION USING OFFSET DIE	ART IN



D3303-041 HEAD REST

ITEM	QTY -041	P/N	DESCRIPTION
	Χ	D3303-041	HEAD REST
1	1	D3303-043	BRACKET ASSEMBLY
2	1	D3305-1	FOAM
3	1	D3306-041	COVER ASSEMBLY


NOTES

- 1) BOND D3305-1 FOAM TO D3303-043 BRACKET ASSEMBLY USING 3M 1300 ADHESIVE (0.002" TO 0.010" THICK) IN ACORDDANCE WITH MANUFACTURER'S INSTRUCTIONS
- 2) COVER HEAD REST WITH D3306-041 COVER ASSEMBLY AS SHOWN
- 3) PART IS SYMMETRICAL AT CENTERLINE
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) IDENTIFY AS FOLLOWS USING FINE POINT PERMANENT INK MARKER: "TCCA-PDA, DART AEROSPACE LTD, P/N D3303-041 B/N BXXXXX, FOR PRODUCT ELIGIBILITY SEE PDA04-11"

COPYRIGHT © 2004 BY DART AEROSPACE LTD







D3303-043 BRACKET ASSEMBLY

ITEM	QTY -043	P/N	DESCRIPTION
	Х	D3303-043	BRACKET ASSEMBLY
1	1	D3303-1	PLATE
2	1	D3303-3	HEAD REST
3	4	MS21075L3	NUT PLATE
4	8	MS20426AD3-3	RIVET
5	16	MS20470AD4-4	RIVET


NOTES

- 1) FINISH: POWDER COAT ASSEMBLY GREY SANDTEX (4.3.5.6) PER DART QSI 005 4.3
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED 3) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED

COPYRIGHT © 2004 BY DART AEROSPACE LTD



DESIGN	DRAWN BY	DART AERO	SPACE LTD
 	 	HAWKESBURY, OI	NTARIO, CANADA
CHECKED	APPROVED	DRAWING NO.	REV. B
PH		D3303	SHEET 3 OF 4
DATE		TITLE	SCALE
06	.08.17	HEAD REST	1:2




D3303-1 PLATE


NOTES:

- 1) MATERIAL: 2024-T3 (QQ-A-250/4) 0.032 THICK SHEET (REF. DART SPEC. M2024T3S.032)
- 2) FINISH: CHEMICAL CONVERSION COAT AS PER DART QSI 005.4.1
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 5) BREAK ALL SHARP EDGES 0.005 TO 0.015



DESIGN	DRAWN BY	DART AEROS	PACE LTD
<u></u> ★	1 - 1P	HAWKESBURY, ON	TARIO, CANADA
CHECKED	APPROVED	DRAWING NO.	REV. B
017		D3303	SHEET 4 OF 4
DATE		TITLE	SCALE
06.0	08.17	HEAD REST	1:2





D3303-3 BRACKET BEND DETAIL

- NOTES: 1) MATERIAL: 2024-T3 (QQ-A-250/4) 0.040 THICK SHEET (REF. DART SPEC. M2024T3S.040)
- 2) FINISH: CHÈMICAL CONVERSION COAT AS PER **DART QSI 005.4.1**
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 5) BREAK ALL SHARP EDGES 0.005 TO 0.015

COPYRIGHT © 2004 BY DART AEROSPACE LTD

DRAWING NO.	TITLE		REV. B	DART AEROSPACE LTD	PACELTD	D.E.O. NO.		SHEET NO.	SCALE
D3303	HEAD REST	L	_	ENGINEERING ORDER	G ORDER	D3303-B-1	2	SHEET 1 OF 1	NTS
DRAWN A.	AJS	СНЕСКЕD	4	MFG. APPR.	4	APPROVED //	7	DE APPR.	
DATE 08.1	08.10.15	DATE ${\cal O}$	08.10 15	DATE 08/10/	16	DATE &//º//	4	1/ 01 / 80 BATE	

SHEET 1 ADD 1300L ADHESIVE BY 3M TO NOTE 1 AS FOLLOWS:

<u>::</u>

NOTES: 1) BOND D3305-1 FOAM TO D3303-043 BRACKET ASSEMBLY USING 3M 1300 OR 1300L ADHESIVE (0.002" TO 0.010" THICK) IN ACCORDANCE WITH MANUFACTURER'S INSTRUCTIONS

WAS:

1) BOND D3305-1 FOAM TO D3303-043 BRACKET ASSEMBLY USING 3M 1300 ADHESIVE (0.002" TO 0.010" THICK) IN ACCORDANCE WITH MANUFACTURER'S INSTRUCTIONS



SEE NCR 08-069 FOR FURTHER DETAILS

COPYRIGHT © 2008 BY DART AEROSPACE LTD
THIS DOCUMENT IS PRIVE AND COMPIDENTIA AND ADMIDITIONAL THE EXPRESS COUDTION THATITIS
NOT TO BE USED FOR AUW PLIPPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT
WRITTEN PERMISSION FROM DART AEROSPACE LTD.